

16 Port 1U Rackmount USB PS/2 Cat5 UTP KVM Switch

StarTech ID: SV1631DUTP



This 16 port Cat5 KVM switch lets you manage all of your computers from one convenient location over UTP (Cat5) cable, using only one keyboard, mouse, and monitor.

In place of more “traditional” KVM switches which use DB15 cable to connect slave computers to the switch, this Cat5 KVM switch utilizes Category 5 UTP cable to link the computers, reducing cable clutter and extending the available connection distance to up to 130ft (39.6m).

To ensure simple and convenient operation, the KVM Switch features both pushbutton and hot-key commands and offers manual and automatic scan modes that provide hassle-free monitoring of computer connection status.

This Cat5 KVM switch is cascadable, allowing multiple Cat5 KVM units to be linked together for control of up to 512 computers from a single KVM (keyboard, video, mouse) peripheral set - providing a scalable control platform that can grow to accommodate your needs.

For simple integration into any server room or data center, this 16 port Cat 5 KVM switch can be rack mounted, and requires only 1U of cabinet storage space.

Please Note: The following interface modules are required for host connectivity

SV5USBS - USB Server Interface Module

SV5PS2S - PS/2 Server Interface Module

Applications

- Enterprise network management
- Manufacturing line computer control
- PC test/burn-in computer control
- Server farms

Features

- A dependable 2-year warranty provides peace of mind
- Auto-scan function automatically selects computer sequentially
- Cascade configuration expands system capability up to 512 computers
- Extends the distance between computers and switch - up to 130 feet for resolutions of 1280 x 1024 @ 60Hz, and 100 feet for a resolution of 1600 x 1200 @ 60Hz
- Easy to use computer selection via port selection switches, Hotkeys and intuitive On Screen Display (OSD) menus
- Two level security access allows only authorized users to view and control the computers. Supports up to four users plus an administrator with separate profiles for each
- Hot Pluggable support allows administrators to add or remove computers without having to power down the switch
- Rugged, all-metal 1U chassis for use in harsh environments and space-saving cabinets
- Multiplatform support: PC, Mac, Sun and terminal-based systems
- Upgradeable firmware

Technical Specifications

Warranty	2 Years
Couleur	Noir
Hauteur du produit	1.7 in [44 mm]
Largeur du produit	6.3 in [160.1 mm]
Longueur du produit	17.2 in [437 mm]
Poids du produit	95.3 oz [2700 g]
Type de boîtier	Acier
Câbles inclus	Non
Mode cascade	Oui
Montage sur bâti	Oui
Nombre de ports KVM	16
Plateformes prises en charge	USB et PS/2
Prise en charge audio	Non
Prise en charge écran double	Non
Type de vidéo du PC	VGA
Contrôle IP KVM	Non
Longueur max. de câble	130 ft [39.6 m]
Nombre max. d'utilisateurs	1
Ordinateurs mode cascade max.	512
Résolutions analogiques max.	1600x1200@ 60Hz(100 ft), 1280 x1024@ 60 Hz (130 ft)
Configurations du système et du câblage	CAT5, CAT5e or CAT6 cable - 1 for each computer connected to the SV1631DUTP
Configurations du système et du câblage	SV5PS2S - Connecting from SV1631DUTP to PS/2 computers
Configurations du système et du câblage	SV5USBS - Connecting from SV1631DUTP to USB computers
Adaptateur d'alimentation inclus	Adaptateur secteur inclus
Center Tip Polarity	Positif
Température de fonctionnement	0C~50C
Température de stockage	-20C~60C(0-80% Humidity)
Poids brut	7 lb [3.2 kg]
Inclus dans le paquet	1 - StarView 16 Port CAT5 KVM Switch
Inclus dans le paquet	1 - Mounting brackets
Inclus dans le paquet	1 - Firmware upgrade cable

Inclus dans le paquet	1 - Power adapter
Inclus dans le paquet	1 - User manual
Types de connecteur	16 - RJ-45 Mâle

Certifications, Reports and Compatibility

